



INGENICO i5100

COUNTERTOP

RANGE

A cost effective countertop payment terminal with integrated PINpad

- **Ingenico 5100** is the perfect terminal for merchants with a medium or low transaction level. It has a small footprint and can be easily handed over for card-holder PIN entry.
- Based on Ingenico's new UNICAPT™ 32 bit architecture and coming with EMV level 2 kernel, it provides fast processing of powerful cryptographic algorithms.
- Its ergonomic keypad design, large graphic display, long magnetic stripe reader, easy loading and fast printer, all provide increased performance and convenience.



EMV
Fast transaction time



UNICAPT
Application compatibility



HSC 32 bits
Secure module



TCP/IP



 **ingenico**

The world leader in secure financial transaction solutions



INGENICO i5100



Ergonomically designed keyboard for easy PIN entry



Optimal and secure card reading



Easy loading and fast printer



Skyzer Technologies

A4/1066 Great South Road
Mt Wellington, Auckland, New Zealand
Tel +64 9 259 0322, Fax +64 9 259 0323
info@skyzer.co.nz

Outstanding security features

- The integrated High Security Core (HSC) has been developed from years of experience by the world leader in POS security, Ingenico. It offers different levels of security, meeting the most demanding requirements of payment transactions (Visa PED, ZKA...). It has a 32 bit processor to support powerful encryption (RSA, DES, 3DES...), thus ensuring confidential data is secure.
- Multi application security is provided by UNICAPT™ technology permitting several applications to run independently on the same device. An additional benefit is the portability of previously written applications for Ingenico terminals.

Quality and performance

- The long card swipe ensures optimal mechanical card reading.
- A wide range of communication options are available: V22 bis, V29, fast V34.
- Designed around a sub-assembly block making maintenance and testing easy.

User friendliness

- Quiet and fast (12 lines/second) thermal printer with easy loading mechanism.
- Ergonomically designed keyboard for easy PIN entry.
- Large graphic display with adjustable contrast.
- Customisable lens to promote customer logo/brand.
- Only one cable for all external connections

i5101 Standard Configuration

Memory	2 MB SRAM 4 MB Flash (with an option for 8 MB Flash)
Processor	ARM 32 Bit
SAMs	3 SIM Slots
Security	Integrated security. Ingenico's High Security Core
Printer	Thermal, easy loading, 12 lines/second Paper end detection, full graphics printing
Keypad	18 keys including 3 function keys. Backlit (option)
Display	Graphic, 128 x 64 pixels. Backlit
Communication	Up to 38.8 Kbps
Magnetic card reader	ISO 1/2 /3
Smart card reader	EMV level 1. ISO 7816 1-2-3 Async/Sync. T=0 & T=1
Connectivity	2 x RS232
Lens	Customisable with logo (option) Privacy shroud add-on (option)
Environmental	Operating temperature: +5C to +40C (41F to 104F) Storage temperature: -20C to +70C (-2F to 158F)
Dimensions	21 x 9.5 x 7.5 cm (8.27 x 3.74 x 2.95 in.)
Weight	600g (1.32 lb.)